

FITMENT INSTRUCTIONS

LT-50 TABLE SLIDE



Preliminary Information

Installation and fitment instructions including tools required, fasteners included in kit, and the hardware included in kit. Please follow the instructions and check installation actions with the images in this document.



Please be sure to lay out all parts provided on a table or flat surface in order to check that all required parts are accounted for and prevent potential frustration at a later stage.

Table Slide Fitment – Tools & Fasteners - The tables below show the equipment, i.e. tools and fasteners required to fit the Light Weight Table Slide.

1.1

Tools & Items Required

| TOOL |
|------------------------|
| Ratchet |
| 13mm Socket |
| 13mm Ring Flat Spanner |

1.2

<u>Fasteners Supplied</u> (included with table slide)

| ITEM | QTY |
|------------------|-----|
| M8x20mm Hex Bolt | 4 |
| M8 Flat Washer | 4 |
| M8 Nyloc | 4 |
| M8 Nut Cap | 4 |

1.3

Parts Required

| ITEM | QTY |
|-------------|-----|
| Table Slide | 1 |



Table Slide

Figures 1 and 2 below illustrate the table slide and it's toggle clamp.




Fig 1. Table Slide





Fig 2. Table Slide Toggle Clamp



2.2

Installing Table Slide under LT50 tent.

Figure 3 below illustrates the insertion of the four M8x20 bolts in the underside nut-slot of the bottom of the LT50.





Installing Table Slide under LT50 tent.

Figure 4 below illustrates the alignment of the hex bolts in with the the four tabs of the table slide.

It is recommended that you first hand tighten all four nuts before final tightening with a 3mm rachet or spanner. Finish off the exposed nuts with nut caps for a clean look.

Note: Before inserting the table slide ensure that your vehicle roof is protected (use the box and/or packaging material supplied)




Fig 4. Fastening four points



QTY

1

4

4

4

4

DESCRIPTION

NUT CAP M8

M8x20 HEX BOLT S/S


M8 NYLOC NUT S/S

M8x16mm FLAT WASHER S/S

ACCESSORY LIGHT WEIGHT TABLE SLIDE

Installation Instructions

Figure 5 Below illustrates the table slide assembly.





Inserting Alutable

Figure 6 below illustrates how to insert the Alutable




Fig 6. Alutable into Table Slide



Inserting Alutable

Figure 7 below illustrates how to insert the Alutable




Fig 7. Alutable into Table Slide



Disclaimer

All rights reserved. No part of this website may be reproduced, translated, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the owner.

Review all instructions information carefully before installation.

Any damages, direct or incidental to the installer and/or property due to incorrect installation of any parts are the responsibility of the installer. Due to the various applications and fitment options available, the responsibility lies with the user to ensure all mounting points are secure and tight before every trip.

If unsure, consult with your Distributor regarding the operations of our products.

Users are advised to be mindful of the load they are carrying and drive in accordance with road conditions.

WARNING

Always wear appropriate PPE (Personal protection equipment) when fitting our products. Although the mounting kit is designed to be DIY, if you have any doubts or concerns, contact an accredited fitment centre to carry out the work. Alu-Cab will not be liable for any injury to persons, and/or damage to products and/or vehicles.

While Alu-Cab Holdings takes reasonable measures to ensure that the contents of this Website are accurate and complete, Alu-Cab Holdings makes no representations or warranties, whether express or implied, as to the quality, timeliness, operation, integrity, availability or functionality of this Website or as to the accuracy, completeness or reliability of any information on this Website. Alu-Cab Holdings reserves the right to make changes, corrections and/or improvements to the information and to the products and programs described in such information, at any time without notice.

Alu-Cab Holdings will use reasonable endeavours to maintain the availability of the Website, except during scheduled maintenance periods, and reserves the right to discontinue providing the Website or the service or any part thereof with or without notice to you. Any person who accesses this Website or relies on this Website or on the information contained in this Website does so at his or her own risk.

Occasionally, at our discretion, we may include or offer third-party products or services on our website. These third-party sites have separate and independent privacy policies. We therefore have no responsibility or liability for the content and activities of these linked sites. Nonetheless, we seek to protect the integrity of our site and welcome any feedback about these sites.